




- Rallag  
LMA 5/40
- 1 lags dækstenlag marksten 300-  
1000 kg. gns diameter D80 cm

--- Fiberdug 300 g pr. m<sup>2</sup>

Ny stenkastning Vigen 80, snit 1, St1-7 m




- Rallag  
LMA 5/40
- 1 lags dækstenlag marksten 300-  
1000 kg. gns diameter D80 cm

--- Fiberdug 300 g pr. m<sup>2</sup>

● Strand

● Grund

Ny stenkastning Vigen 80, snit 2, St 7-15,5m



● Rallag  
LMA 5/40

● 1 lags dækstenlag marksten 300-  
1000 kg. gns diameter D80 cm

--- Fiberdug 300 g pr. m<sup>2</sup>

● Strand

● Grund

Ny stenkastning Vigen 80, snit 3, 15,5-27,5 m

7,55 m

0,95m

1,75 m

2,1 m

1,9 m

0,85 m

Synlig del 6,15 m

0,9 m

2,1 m

Kote 3,0 m over dvr90

0,9 m

1 2


Kote 1,95 m over dvr90

1 1

0,4 m

Kote 0,60 m under dvr90

Kote -0,2 m under dvr90



- Rallag  
LMA 5/40
- 1 lags dækstenlag marksten 300-  
1000 kg. gns diameter D80 cm

--- Fiberdug 300 g pr. m<sup>2</sup>

● Strand

● Grund

Ny stenkastning Vigen 80, snit 4a, St 27,5-40 m

